

Date: 12TH April, 2017

Regd. Office: 23, Ganesh Chandra Avenue, 3rd Floor, Kolkata- 700013 (W.B)

Phone: 033-22114457, Fax: 033-22115493

E-mail: triindialtd@gmail.com Website: triindialtd.com

To,
The Listing & Compliance Department
Metropolitan Stock Exchange (MCX-SX)
Vibgyor Towers, Plot No. C – 62,
Bandra Kurla Complex Bandra (EAST)

4th Floor, Opposite Trident Hotel

SYMBOL: TRIDENTIND

Mumbai - 400 098

Dear Sir/Madam,

Sub: Declaration of Non Applicability of Regulation 27(2) of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015 for the quarter ended 31st MARCH, 2017.

This is for your kind information that pursuant to Regulation 15 of SEBI (Listing Obligations and Disclosure Requirements) Regulation 2015 which came into effect on 1st December 2015, that the Corporate Governance compliances as specified in Regulation 17 to Regulation 27, Regulation 46(2) (b) to Regulation 46(2) (i) and Para C, D, and E of Schedule V shall not apply in respect of the following Companies.

- a. Listed Companies having paid up equity share capital not exceeding Rs 10 crore and Net Worth not exceeding Rs 25 crore, as on the last day of the previous Financial year;
 Provided that where the provisions of Regulations specified in this regulation becomes applicable to a Listed Company at a later date, such listed Company shall comply with the requirements of those Regulations within six months from the date on which the provisions became applicable to the Listed Company.
- b. Listed Companies which has listed its specified equity share capital on the SME Exchange

Thus, in this regard we are pleased to inform that as per the audited financial statement for the financial year ended on 31-March-2016 our Company does not fall under the ambit of the aforesaid criteria, and since it is a non-mandatory clause, hence not complied with.

Kindly take the same on record and acknowledge the receipt.

Thanking You

Yours Faithfully

For Trident India Limited

Prakash Chand Sethi (Managing Director) (DIN: 01004493)

Dimeter

